# Adapting to the Effects of Climate Change on Inuit Health

Climate change will have far-reaching implications for Inuit health. Focusing on adaptation offers a proactive approach for managing climate-related health risks—one that views Inuit populations as active agents in planning and responding at household, community, and regional levels.

Adaptation can direct attention to the root causes of climate vulnerability and emphasize the importance of traditional knowledge regarding environmental change and adaptive strategies. An evidence base on adaptation options and processes for Inuit regions is currently lacking, however, thus constraining climate policy development.

In this article, we tackled this deficit, drawing upon our understanding of the determinants of health vulnerability to climate change in Canada to propose key considerations for adaptation decision-making in an Inuit context. (*Am J Public Health*. Published online ahead of print April 22, 2014: e1–e9. doi:10.2105/ AJPH.2013.301724) James D. Ford, PhD, Ashlee Cunsolo Willox, PhD, Susan Chatwood, MSc, Christopher Furgal, PhD, Sherilee Harper, PhD, Ian Mauro, PhD, and Tristan Pearce, PhD

remote, mostly coastal communi-

### THE CANADIAN ARCTIC IS

widely regarded as a global hotspot of the effects of current and future climate change.1-4 The risks of climate change are significant, challenging human rights, livelihoods, and health.<sup>5,6</sup> Aboriginal populations, particularly Inuit, have been identified as highly vulnerable to these changes.7 Such framing, however, can portray Northern populations as powerless victims of climate change, overlooking how social, cultural, and economic conditions determine how climate change is experienced, understood, and responded to, downplaying the resilience of communities and overlooking adaptation. As Costello et al.8 noted, the time is right in the climate-health field to move from catastrophic fatalism to positive action, and to identify, develop, and implement adaptation strategies to moderate the health effects of climate change. This is a daunting challenge, compounded by limited research on adaptation in the public health field, but the urgency, inevitability, and reality of health effects compels us to focus more seriously on finding ways to adapt. To inform debate in this emerging policy area, we outline key considerations for adaptation to the health effects of climate change for Inuit in Canada.

ties scattered across approximately 31% of the country's landmass (Figure 1), numerous health implications from climate change have already been documented, including the effects on personal safety, food and water security, and mental health.6 Changing temperature and precipitation regimes are projected to increase the probability, duration, and severity of extreme weather events and their outcomes (e.g., flooding, erosion) with implications for water quality, while creating newly hospitable environments for encroaching or introduced pathogens.<sup>9-19</sup> Warmer, wetter seasons also have the potential to increase the risk and incidence of waterborne, foodborne, zoonotic, and vector-borne diseases (e.g., Escherichia coli, campylobacteriosis, giardiasis, botulism, echinococcosis).9,15,16,18-21 There will also be indirect pathways through which climate change will affect health.<sup>10</sup> Unstable ice conditions, for example, may inhibit movement in and out of communities, which could increase associated mental stress, limit the potential for subsistence hunting with food security implications, and increase the likelihood of accidental injury and death while traveling on the land.<sup>22-25</sup>

A number of factors affect how Inuit communities and their health systems experience and respond to climate change, in many cases increasing risk and susceptibility to health impacts. These include poverty and inequality, which underpin disparities in health

outcomes; access to associated health services compared with the Canadian average, which influences health-seeking behavior<sup>26-29</sup>; institutional capacity challenges, which constrain the ability of health systems to respond to existing and emerging health problems<sup>10,30-32</sup>; and strong connections to the rapidly changing environment, with many Inuit dependent on land, sea, ice, and local environmental resources for livelihoods (e.g., hunting, fishing), culture, diet, and well-being.7,11,17,33-35 Traditional knowledge (TK) and culture have been identified as protective factors, moderating exposure to climate-related health risks and underpinning adaptive capacity, albeit with concerns over such knowledge systems in light of socioeconomic transformations.<sup>10,36,37</sup> These factors are listed in Table 1,10,26,38 which illustrates the key health risks posed by climate change and their role in influencing vulnerability and resilience across the Inuit Nunangat (Inuit homeland). Here, vulnerability refers to factors that increase susceptibility to harm, either by enhancing sensitivity to the health-related impacts of climate change or by constraining adaptive capacity to deal with them. Resilience refers to factors that underpin the ability of individuals, households, and health systems to respond to, moderate, and recover from health effects.39-42

### **NEED FOR ADAPTATION**

Because of the risks posed by climate change, greater action is

# For Canada's more than

proceed with adaptation.

**INUIT HEALTH AND** 

**CLIMATE CHANGE** 

50 000 Inuit who live in small,

In doing so, we seek to initiate debate

practitioners, Inuit organizations, and

community leaders on how best to

among researchers, policymakers,



required to reduce the greenhouse gas emissions responsible for climate change. However, recent studies indicate that stabilizing global average temperatures below 2°C will be challenging, and that continued climate change and resulting effects can be expected.<sup>4,43,44</sup> Inuit communities and their health systems will have to adapt.

Adaptation refers to policies, measures, and strategies designed to reduce climate change impacts and support resilience. In a health context, adaptation is synonymous with prevention (i.e., it seeks to prevent or minimize effects), and may involve primary, secondary, and tertiary interventions.<sup>45-48</sup> Primary prevention aims to prevent or moderate adverse health outcomes by reducing exposure to risks; secondary prevention seeks to prevent the onset of adverse health outcomes associated with a particular risk; and tertiary prevention aims to reduce morbidity and minimize impacts.45,47 These responses may be reactive or anticipatory in relation to climate change effects, range from building adaptive capacity to designing and implementing specific interventions to a known risk, and encompass actions at various scales from individuals and communities to governments and institutions. Thus, potential adaptations are diverse, ranging from the development and strengthening of surveillance and early warning systems, the development and enforcement of standards, community empowerment and education on risks posed, to the promotion of sustainable development.49

The importance of adaptation is increasingly being recognized in climate policy internationally and in Canada, and was identified by a Special Commission Report in the Lancet as the biggest challenge for global public health this century.<sup>50</sup> However, few studies globally or in the Arctic have examined or evaluated opportunities for adaptation, particularly with regard to health. 40,41,45,48,50-54 This deficit is an urgent area for research. As Ford et al.55 documented in Canada, federal investment in climate change and health research, specifically adaptation initiatives, has been limited, totaling only \$16 million Canadian dollars between 1999 and 2009, approximately \$3 million of which focused on adaptation. Although a number of recent federal

programs focus on and support adaptation in Northern Canada, this investment represents a small fraction of other federal expenditures and is insufficient for a problem as complex and potentially damaging to human and environmental health as climate change.<sup>55,56</sup>

## KEY CONSIDERATIONS FOR HEALTH ADAPTATION

Developing an evidence base to inform adaptation policy should, then, be a key focus of future research in Canada. This work needs to move beyond documenting impacts and identifying determinants of vulnerability (we now have a baseline understanding in a Canadian Inuit context [Table 1]) to prioritizing and evaluating locally appropriate and culturally relevant adaptation strategies. This is the focus of recent initiatives that we have launched (http://www.ikadapt.ca, http://www.ihacc.ca); however, research of this nature takes time and is compounded by an absence of frameworks for adaptation assessment in Indigenous contexts.<sup>57</sup> The need for adaptation, however, is pressing because climatic anomalies and their effects are increasingly the norm.

In response to this need, and to inform and initiate debate on the broad contours of health adaptation programming, we outline key considerations for adaptation to the health effects of climate change for Canada's Inuit. These insights are derived from our multidisciplinary knowledge and experience; we have been involved in research and policy debates on climate change and health in the Arctic since the late 1990s, and have worked in partnership with communities across the Inuit Nunangat, policymakers, and government

| to Climate Change            |                                     |                                  | ruverty at                 | in illequality                   | Institutional                 | capacity                  |
|------------------------------|-------------------------------------|----------------------------------|----------------------------|----------------------------------|-------------------------------|---------------------------|
|                              | Resilience                          | Vulnerability                    | Resilience                 | Vulnerability                    | Resilience                    | Vulnerability             |
| iccidental injury or death   | Survival skills                     | Land skills not being            | Food sharing networks and  | Inability to afford safety       | Training of local health care | Disparities in health     |
| while hunting or traveling 1 | Anowledge of trail safety and       | transmitted to youths            | community freezers         | equipment, such as GPS,          | professionals                 | indicators compared       |
| on the land                  | dangers                             | Hunting technology altering      | decrease need to hunt      | helmets, life jackets            | Increasing support for        | with Canadian average     |
| 1                            | Jnderstanding of weather patterns   | human-environment                | in unsafe conditions       |                                  | traditional medicine          | Remoteness of communities |
| )                            | Communication of risks              | relationships                    | Communities developing     |                                  | systems and knowledge         | makes access to health    |
| 1                            | -ocal search and rescue capacity    | Rapidly changing conditions      | safety programming         |                                  | Increasing inclusion of and   | care difficult            |
|                              |                                     | make conditions difficult        |                            |                                  | respect for traditional       |                           |
|                              |                                     | to predict                       |                            |                                  | knowledge in policy           |                           |
| nfectious gastrointestinal   | Anowledge on links between          | Decreased knowledge transmission | Local campaigns increasing | Housing overcrowding increases   | Increased awareness from      | Some water and sanitation |
| outbreaks                    | weather events and drinking         | around food preparation and      | awareness of hand-washing, | transmission risk                | health practitioners of       | systems outdated and      |
|                              | water quality                       | water safety                     | food storage, and water    | Multigenerational homes          | linkages between weather      | unable to cope with       |
| -                            | History of traditional food storage | Lack of comprehensive health     | supplies for all families  | increase transmission            | events and water quality      | extreme weather events    |
|                              | and preparation                     | surveillance systems             | and at schools             | among multiple generations       | and food storage, leading     | Limited surveillance and  |
| 1                            | Jse of many traditional remedies    | Missing or incomplete health     |                            |                                  | to new health communication   | monitoring to detect      |
|                              |                                     | records                          |                            |                                  | campaigns                     | outbreaks                 |
| Aental trauma                | Mental or emotional strength from   | Weakening of cultural activities | Programs to reduce poverty | Intergenerational trauma from    | Increased number of local     | High rates of addiction,  |
|                              | cultural continuity                 | and identity                     | and increase economic      | residential schools (in which    | mental health workers         | suicide, and              |
| )                            | Cultural strategies for dealing     | Erosion of land-based skills and | opportunities support      | Inuit children were removed      | Focus on supporting mental    | intergenerational         |
|                              | with mental health challenges       | knowledge alters ability to      | mental health and wellness | from their communities for       | health and resilience in      | trauma increase mental    |
| )                            | Community cohesion and cultural     | engage with the land             | Focus on family support    | education that sought to         | communities through           | health needs              |
|                              | practices foundational for          | Weakening of customary mental    | and community cohesion     | promote assimilation), forced    | programming                   | Lack of access to mental  |
|                              | mental wellness                     | health strategies                | supports                   | relocation, rapid acculturation, | Incorporation of traditional  | health services           |
| 1                            | -and-based knowledge provides       |                                  |                            | loss of language, increased      | knowledge into mental         | Changing climatic         |
|                              | mental or emotional strength        |                                  |                            | rates of addiction and suicide,  | health programming            | conditions make           |
|                              |                                     |                                  |                            | and systematic marginalization   |                               | the mental health         |
|                              |                                     |                                  |                            | Lack of access to mental         |                               | programs difficult to run |
|                              |                                     |                                  |                            | health services and supports     |                               | Suspicion of mental       |
|                              |                                     |                                  |                            |                                  |                               | health service            |



Published online ahead of print April 22, 2014 | American Journal of Public Health

Ford et al. | Peer Reviewed | Threats to Al/AN Health | e3

PAST, PRESENT, AND FUTURE THREATS TO AI/AN HEALTH

| TABLE 1–Continued                  |                                  |                               |                                |                            |                             |                            |
|------------------------------------|----------------------------------|-------------------------------|--------------------------------|----------------------------|-----------------------------|----------------------------|
| Food insecurity                    | Customary food sharing practices | Cash economy and growing      | Increased focus on traditional | Challenge of obtaining     | Support to promote healthy  | Lack of access to healthy  |
|                                    | Knowledge of animal behavior;    | community size disrupting     | food sharing networks and      | store food because         | eating                      | foods creates difficulties |
|                                    | rules for allocating catch       | customary rules of sharing    | development of community       | of expense                 | Increased awareness and     | for healthy eating         |
|                                    | Understanding of edible and      | Costs of hunting and foraging | freezers to share food         | Inability to undertake     | education of healthy eating | Lack of access to wild     |
|                                    | medicinal plants                 | increasing, loss of knowledge | Development of local           | hunting-related            | Health programming that     | foods creates reliance     |
|                                    |                                  | transmission                  | gardening initiatives and      | adaptations to             | teaches younger generation  | on store-bought foods      |
|                                    |                                  |                               | greenhouses                    | climate change that        | wild food gathering and     |                            |
|                                    |                                  |                               |                                | entail additional costs    | preparation skills          |                            |
|                                    |                                  |                               |                                | Constraints to traditional |                             |                            |
|                                    |                                  |                               |                                | food access because of     |                             |                            |
|                                    |                                  |                               |                                | costs of equipment and     |                             |                            |
|                                    |                                  |                               |                                | related items              |                             |                            |
| <i>Note.</i> GPS = global positio. | ning system.                     |                               |                                |                            |                             |                            |

representatives to understand how climate change affects Inuit health. Building on this extensive knowledge and experience, we use our understanding of the primary drivers of health vulnerability and resilience developed through previous work,<sup>10,11,19,22,23,35,58-60</sup> together with an analysis of characteristics of adaptation decisionmaking in the general adaptation field, to identify key considerations for adaptation (Table 2 and Figure 2).<sup>61–65</sup>

## Enhancing Climate-Related Health Risk Management

The adaptation challenge is not entirely new because humans have lived with climate variability and change for a long time. The environmental and public health fields have a tradition of assessing and managing climate-related health risks, some of which are managed well, while for others there is room for improvement.45,49,66 Many climate change impacts represent changes in the magnitude and frequency of current risks, and investments to enhance existing health infrastructure offer a foundation for proactive adaptation. For example, with regard to foodborne and waterborne illness, 15 enteric conditions are reportable by law; yet in Northern communities, there are numerous challenges to surveillance systems because of poor data from a lack of uniform reporting and the high costs of patient follow-up.16,67 These challenges affect the ability to anticipate health problems, detect outbreaks, and generally understand and evaluate diseases, track transmission rates and mechanisms. and control measures to reduce risk-all of particular importance because of the changing climate.<sup>33</sup> An important starting point for adaptation could be to

systematically evaluate health registries and surveillance systems, which is an inexpensive, quick, and effective starting point to enhance the monitoring and control of climate-sensitive health outcomes<sup>16,19</sup> (Table 2). Other adaptation priorities are listed in Table 2, and cover risk avoidance, reduction, and management in diverse areas, including emergency preparedness, education, and capacity enhancement.

### Tackling the Root Causes of Vulnerability

Often, what makes people vulnerable to climate-related health risks has little to do with the actual climate, but rather is reflective of underlying social, cultural, and economic factors.<sup>68</sup> The challenge of obtaining sufficient food because of the changing climate, for example, is exacerbated by high rates of poverty compounded by the cost of living in the North, changing knowledge systems and food sharing practices, population growth, and inflexible wildlife management practices (Table 1).<sup>10,58,69-72</sup> Similarly, mental health issues documented among Inuit hunters in response to an increasing inability to hunt with changing ice conditions reflects not only the decreased ability to provide food for family, but also a loss of cultural identity and livelihood practices.<sup>22,73,74</sup> These factors, in turn, are influenced by the rapid acculturation of Inuit society since the 1950s.<sup>26,31,75-77</sup>

Focusing on the pathways that negatively affect the underlying determinants of health and make populations vulnerable to climate change is an essential component of adaptation.<sup>45,67,78</sup> Efforts to reduce vulnerability and enhance adaptive capacity to climate change can, therefore, be integrated into ongoing policy

| TABLE 2–Specific Policies Relevant to Health #                | daptation and Examples of Successful Implemen                | rtation From Indigenous Communities in Canada and Beyond  |
|---|--|---|
| Adaptation Considerations                                     | Potential Policies for Adaptation                            | Examples of Successful Actions Relevant for Adaptation  |
| Adaptation is about enhancing current management of           | Enhance surveillance, monitoring, and early warning systems  | The International Grcumpolar Surveillance System has collected and shared data on                   |
| climate-related health risks                                  | Evaluate search and rescue capability, and public health     | infectious diseases in the Arctic since 1999. It leverages existing surveillance systems            |
|   | and surveillance systems                                     | to provide early warning and has led to evidence-based policy interventions, such as                |
|   | Emergency preparedness education                             | a vaccination program against S <i>trepococcus pneumonia</i> . <sup>61</sup>                        |
|   | Recognize and promote traditional health systems             |   |
| Adaptation is about tackling the root causes of vulnerability | Poverty alleviation initiatives                              | In British Columbia, epidemiological research by Chandler and Lalond <sup>62</sup> demonstrates     |
|   | Strengthen role of Inuit in decision-making                  | a positive correlation between indicators of self-determination, including self-government          |
|   | Enhance the determinants of health: access to food, clean    | and local control over health delivery services, and reduced youth and adult suicide rates.         |
|   | water, safe shelter, family support networks, employment     |   |
|   | opportunities, strong physical, mental, emotional, and       |   |
|   | spiritual health   |   |
|   | Provide culturally appropriate health services               |   |
|   | and programming  |   |
| Adaptation is about leveraging and building on sociocultural  | Add culturally relevant and locally appropriate materials to | In Arnhem Land, Australia, "caring for country" activities have been shown to offer significant     |
| strengths   | school curriculum  | health benefits for Aboriginal participants. <sup>63</sup>  |
|   | Strengthen land-based learning                               | A collaborative public health campaign in the west Kimberly region of Australia brought together    |
|   | Document, preserve, and promote traditional knowledge        | Aboriginal and non-Aboriginal health workers, educators, and artists to promote preventative health |
|   | Increase Elder and youth knowledge sharing                   | resources using art, traditional language, and a film. The program increased discussion of          |
|   | Create cultural programming                                  | health, and contributed to pride and self-esteem. <sup>64</sup>                                     |
| Adaptation is about integrating a climate change lens into    | Apply climate change screening lens to policy programs at    | The Upagiaqtavut: Setting the Course framework, released by the Department of Environment of        |
| policy programming  | multiple levels  | the Government of Nunavut in 2011, provides strategic direction for adaptation to climate           |
|   | Educate local and regional health practitioners about        | change in Nunavut rooted in Inuit societal values. It incorporates a climate change screening       |
|   | potential climate-related health impacts                     | lens for territorial-level policy. <sup>65</sup>  |
|   |  |   |

Ċ ġ è ż ú ź Ĺ ŝ ł É ċ ź ċ ġ ć

initiatives that span inclusive governance, education, cultural promotion, poverty alleviation, and public health. Allopathic health systems, for instance, need to take into account historical traumas that adversely affect well-being; tackle linguistic, cultural, and geographic barriers to access; and enhance the translation and integration of both traditional and scientific knowledge and approaches to health as a means of promoting resilience to illness and environmental change for individuals and communities<sup>29,60,79-81</sup> (Table 2). Cultural activities, in particular, are important for beginning to address stresses associated with acculturation.82 Landbased programs are one such intervention discussed in the following section.

### Leveraging and Building on **Sociocultural Strengths**

Traditional knowledge based on intergenerational transmission of knowledge and oral history on human-environmental relationships, personal and community well-being, and spiritual considerations, remains a key feature of Inuit life. A cumulative and dynamic body of knowledge and beliefs, TK helps to guide and influence individual and group actions, health-seeking behavior, and health beliefs. TK is pertinent to both health systems and climate change because it affects both sensitivity and adaptive capacity of communities, households, and individuals, and plays an essential role in avoiding, reducing, and managing climate-related health risks (Table 1). For example, land skills and knowledge, embodied in TK, underpin safe hunting practices, representing a collective social memory and repository of accumulated experience that is drawn upon to manage the



*Note.* In (a), Arctic ice is melting at an unprecedented rate, emphasizing the need for management of current climate change health risks. In (b), community health systems have a central role to play in adaptation as they incorporate allopathic and traditional approaches to health and well-being, and here Apea Sodluapik from Pangnirtung's Health Centre (Pangnirtung Nunavut, Northwest Territories, Canada) is speaking about climate change and health risks. In (c), for some Inuit, underlying socioeconomic and changing cultural factors are a root cause of vulnerability, and climate change can further stress individuals and families if, for example, ice conditions undermine hunting and associated food security. In (d), successful adaptation builds on sociocultural strengths, incorporating and promoting traditional knowledge and cultural values, like this hunter teaching his sons to secure food by catching walrus in Foxe Basin. In (e), ongoing health policy and programming must integrate a climate change lens, bringing adaptation solutions into the mainstream, creating proactive and flexible communities and institutions. *Source.* Ian Mauro (a), (b), (d), and (e) and James Ford (c).

FIGURE 2—Visual representation of key considerations for health adaptation in Inuit communities.

dangers of traveling with changing snow, ice, and weather conditions, and therefore, moderating climate-related health risks.<sup>59</sup>

Tradition and culture can provide a strong foundation for adaptation, supporting capacities to manage emerging health risks and cope with a future characterized by uncertainty. However, the evolution and transmission of TK is being threatened by acculturation and rapid environmental changes, and our research has documented emerging vulnerabilities to the health effects of climate change associated with a weakening of TK systems across the Inuit Nunangat (Table 1).<sup>10,36,37</sup> Pearce et al.,<sup>37</sup> for example, documented reduced transmission of cultural knowledge and related land skills from older to younger generations associated with reduced environmental apprenticeship opportunities, arguing that this trend is responsible for increasing accidental injury of youths engaged in land activities, and not climate change per se. Similarly, Ford et al.83 and Furgal and Seguin<sup>10</sup> noted how the implications of warming temperatures on traditional food preparation are compounded by reduced knowledge on the correct procedures for storage and butchering.

Initiatives that focus on the documentation, conservation, and promotion of TK can underpin successful adaptation, including camps where Elders take youths on the land to learn traditional skills, and participatory Webbased knowledge banks, radio dramas, and digital storytelling and filmmaking to document and convey TK on various health and climate change issues.23,35,84,85 A study from Arnhem Land in Australia, for example, offered insights on the potential success of such initiatives in an Inuit context, finding that Aboriginal people involved in cultural activities through caring for country activities were more physically active, had improved diet, and experienced lower rates of psychological stress,<sup>63</sup> addressing a number of underlying determinants of climate change vulnerability. Given the orally based nature of TK, digital media are particularly effective tools, because they allow for the wisdom and teachings of Elders to be passed over generations, while helping to promote the Inuktitut language and its importance for cultural continuity. Such activities have significant value beyond climate change, with

TK-based initiatives identified as

essential to addressing a variety of social problems ranging from addiction to suicide,<sup>79,86</sup> not only among the Inuit, but also among Indigenous communities in general.<sup>57,77,87,88</sup>

# Strategies, Policy, and Programming

In many instances, adaptation involves integrating climate change considerations into strategies, policies, and planning initiatives broadly designed to reduce risk and enhance health and well-being.<sup>39,45,87</sup> The rapidly changing conditions in Canada's North necessitates that a climate change lens be incorporated into proactive health policy and programming that recognizes the changing nature of climaterelated health risks and actively engages local communities and health professionals in meaningful dialogue and action to design and implement locally appropriate health programming, policies, and adaptation plans. The era of climatic stationarity in decisionmaking is now over.88

### CONCLUSIONS

Adaptation has been largely neglected within the health

research and practitioner community. This has to change. In this article, we aimed to initiate and inform debate on health adaptation for Inuit populations by outlining key considerations for adaptation programming based on our understanding of the key drivers of climate change vulnerability in a Northern context, along with principles of adaptation planning developed in the general scholarship. Although these considerations cut across effects, risks, and regions, and target key drivers of vulnerability consistently identified in our work and that of others, they are not meant to be a definitive list. Health adaptations should always be designed to meet local requirements and respond to local sociocultural contexts. Responses specific to particular risks and community needs will also be required. Developing an evidence base of adaptation, therefore, is an urgent need.

Adaptation encompasses a variety of strategies and actions that make households and societies more resilient to climate change. These can be broadly categorized as focusing on better management of existing climatic risks, identifying opportunities to enhance cultural and institutional capacity to

respond to changes in existing risks, or transformational change to manage future conditions that are projected to be quite different from today.<sup>89</sup> In this article, we focused on the first 2 categories, in which adaptation is about doing things we should already be doing, but better-tackling pathways that lead to ill health, building upon TK and cultural values, and targeting the social determinants of health that are the root causes of many climate-related health vulnerabilities. These characteristics of decision-making are pertinent because there are many pressing issues besides climate change, and can help demystify adaptation, bringing it to familiar territory for policymakers. Such actions will require leadership by actors within the public health sector, but will also need concerted collaborative action with other sectors and across jurisdictions at local to national scales.

Building adaptive capacity and resilience to manage climate change effects is central to the lessons profiled in this article, with our aim to initiate debate on how we can dynamically plan in the context of existing conditions and anticipated, but largely unknown, social, economic, and environmental changes. Some scholars, however, have argued that enhancing adaptive capacity will not be enough in light of dramatic climate change projections, which will necessitate transformative adaptation.<sup>90–92</sup> Although we agree that tipping points caused by climate change could fundamentally shift the Arctic's ecological system<sup>93</sup> and must be considered, we also believe that immediate and better understood health risks should be among our first-risk management priorities. This position is justifiable given the already present and extensive need for

health services in Inuit communities, our research-based understanding of existing risks and associated interventions, and the ability to adapt current programs to accommodate increased magnitude and frequency of anticipated changes.

Future research needs to expand upon the considerations profiled here, to comprehensively evaluate opportunities for health adaptation, and examine the effectiveness, desirability, feasibility, urgency, and durability of adaptations, under both current and projected future climatic and socioeconomic conditions. It is imperative that adaptation evaluation is done in active and meaningful collaboration with communities, organizations, and government; integrates insights from science and traditional knowledge; and emphasizes locally appropriate approaches to adaptation assessment. These are important times for health practitioners and policymakers. Although climate change is a daunting reality, opportunities exist to avoid, reduce, and manage the health effects of climate change, yet only if we collectively and collaboratively begin to recognize and meet these challenges.

#### About the Authors

James D. Ford is with the Department of Geography, McGill University, Montreal, Quebec. Ashlee Cunsolo Willox is with the Department of Community Health, Cape Breton University, Sydney, Nova Scotia. Susan Chatwood is with the Institute for Circumpolar Health Research, Yellowknife, Northwest Territories. Christopher Furgal is with the Department of Indigenous Environmental Studies, Trent University, Peterborough, Ontario. Sherilee Harper is with the Department of Population Medicine, University of Guelph, Ontario. Ian Mauro is with the Department of Geography, University of Winnipeg, Manitoba. Tristan Pearce is with the University of the Sunshine Coast, Maroochydor, Queensland, Australia. Correspondence should be sent to James D.

Ford, PhD, Assistant Professor, McGill

University, Department of Geography, Room 308C Burnside Hall, 805 Sherbrooke St W. Montreal, Quebec, Canada H3A 0B9 (e-mail: james.ford@mcgill.ca). Reprints can be ordered at http://www.ajph.org by clicking the "Reprints" link.

This article was accepted September 29, 2013.

#### **Contributors**

J. D. Ford conceptualized and wrote the article. A. C. Willox, S. Chatwood, C. Furgal, S. Harper, I. Mauro, and T. Pearce assisted with conceptualizing and writing the article.

### **Acknowledgments**

We would like to thank the Canadian Institutes of Health Research, the Nasivvik Centre for Inuit Health, ArcticNet, the International Development Research Centres IRIACC program, the Social Sciences and Humanities Research Council of Canada, the Natural Sciences and Engineering Research Council of Canada, Health Canada, Fonds de recherche du Québec - Nature et technologies, Aboriginal Affairs and Northern Development Canada, and the Public Health Agency of Canada, for ongoing support for research.

We are also grateful to the community partners from the Inuvialuit Settlement Region, Northwest Territories, Nunavut, Nunavik, and Nunatsiavut for sharing their wisdom, guidance, and research expertise throughout the years. Thanks also to Victoria Edge and two anonymous reviewers who provided detailed and constructive feedback on the article.

### Human Participant Protection

Institutional review board approval was not needed for this article because no human participants were involved.

#### References

1. Solomon S, Qin D, Manning M, et al., eds. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change. New York, NY: Cambridge University Press; 2007.

2. Prowse TD, Furgal C. Northern Canada in a changing climate: major findings and conclusions. *Ambio*. 2009;38(5):290–292.

3. Arctic Council. *Arctic Resilience Interim Report.* Stockholm, Sweden: Stockholm Environment Institute and the Stockholm Resilience Centre; 2013.

4. Intergovernmental Panel on Climate Change. Summary for Policy Makers. A Report of Working Group I of the Intergovernmental Panel on Climate Change. Geneva, Switzerland: Intergovernmental Panel on Climate Change; 2013. 5. Crowley P. Interpreting 'dangerous' in the United Nations framework convention on climate change and the human rights of Inuit. *Reg Environ Change*. 2010;11(1):265–274.

 Ford JD. Dangerous climate change and the importance of adaptation for the Arctic's Inuit population. *Environ Res Lett.* 2009;4(2):024006.

7. Ford JD, Bolton K, Shirley J, Pearce T, Tremblay M, Westlake M. Mapping human dimensions of climate change research in the Canadian arctic. *Ambio.* 2012;41 (8):808–822.

8. Costello A, Maslin M, Montgomery H, Johnson AM, Ekins P. Global health and climate change: moving from denial and catastrophic fatalism to positive action. *Philos Trans A Math Phys Eng Sci.* 2011;369(1942):1866–1882.

9. Martin D, Belanger D, Gosselin P, Brazeau J, Furgal C, Dery S. Drinking water and potential threats to human health in Nunavik: adaptation strategies under climate change conditions. *Arctic.* 2007;60(2):195–202.

10. Furgal C, Seguin J. Climate change, health and community adaptive capacity: lessons from the Canadian north. *Environ Health Perspect*. 2006;114(12):1964–1970.

11. Furgal C. *Health impacts of climate change in Canada's north.* Rep. No.: H128–1/08-528E. Ottawa, ON: Health Canada; 2008.

12. Furgal C, Prowse T. Northern Canada. In: Lemmen D, Warren F, Bush E, Lacroix J, eds. From Impacts to Adaptation: Canada in a Changing Climate 2007. Ottawa, ON: Natural Resources Canada; 2008:57–118.

13. Warren JA, Berner JE, Curtis T. Climate change and human health: infrastructure impacts to small remote communities in the north. *Int J Circumpolar Health.* 2005;64(5):487–497.

14. White DM, Gerlach SC, Loring P, Tidwell AC, Chambers MC. Food and water security in a changing arctic climate. *Environ Res Lett.* 2007;2(4):045018.

15. Parkinson AJ, Butler JC. Potential impacts of climate change on infectious disease in the Arctic. *Int J Circumpolar Health.* 2005;64(5):478–486.

16. Parkinson AJ, Bruce MG, Zulz T. International circumpolar international surveillance, an arctic network for surveillance of infectious diseases. *Emerg Infect Dis.* 2008;14(1):18–24.

17. Parkinson AJ, Berner J. Climate change and impacts on human health in the arctic: an international workshop on emerging threats and the response of arctic communities to climate change. *Int Circumpolar Health*. 2009;68(1):84–91.

18. Harper SL, Edge V, Schuster-Wallace CJ, Ar-Rushdi M, McEwen SA. Improving Aboriginal health data

capture: evidence from a health registry evaluation. *Epidemiol Infect.* 2010; 139(11):1774–1783.

19. Harper SL, Edge V, Wallace C, Berke O, McEwen S. Comparison of trends in weather, water quality, and infectious gastrointestinal illness in two Inuit communities in Nunatsiavut, Canada: potential implications for climate change. *EcoHealth*. 2011;9(1):89–101.

20. Evengard B, Sauerborn R. Climate change influences infectious diseases both in the Arctic and the tropics: joining the dots. *Glob Health Action*. 2009; 2:10.3402/gha.v2i0.2106.

21. Hess JJ, Malilay JN, Parkinson AJ. Climate change. The importance of place. *Am J Prev Med.* 2008;35(5):468–478.

22. Cunsolo Willox A, Harper SL, Ford JD, et al. "From this place and of this place": climate change, sense of place, and health in Nunatsiavut, Canada. *Soc Sci Med.* 2012;75(3):538–547.

23. Harper SL, Edge VL, Cunsolo Willox A; Rigolet Inuit Community Government. "Changing Climate, Changing Health, Changing Stories" profile: using an ecohealth approach to explore impacts of climate change on Inuit health. *EcoHealth*. 2012;9(1):89–101.

24. Laidler GJ, Ford JD, Gough WA, et al. Travelling and hunting in a changing Arctic: assessing Inuit vulnerability to sea ice change in Igloolik, Nunavut. *Clim Change*. 2009;94(3–4):363–397.

25. Pearce T, Ford JD, Duerden F, et al. Advancing adaptation planning for climate change in the Inuvialuit Settlement Region (ISR): a review and critique. *Reg Environ Change*. 2011;11(1):1–17.

 Ford JD, Berrang-Ford L, King M, Furgal C. Vulnerability of Aboriginal health systems in Canada to climate change. *Global Environ Change*. 2010;20 (4):668–680.

27. Young KL, Bjerregaard PB. Inuit. In: Young KL, Bjerregaard PB, eds. *Health Transitions in Arctic Populations*. Toronto, ON: University of Toronto Press; 2008: 119–133.

28. Young TK. Review of research on aboriginal populations in Canada: relevance to their health needs. *BMJ*. 2003;327(7412):419–422.

29. Young TK, Chatwood S. Health care in the north: what Canada can learn from its circumpolar neighbours. *CMAJ.* 2011;183(2):209–214.

30. Chatwood S, Young K. A new approach to health research in Canada's north. *Can J Public Health*. 2010;101 (1):25–27.

31. Richmond CAM, Ross NA. The determinants of First Nation and Inuit health: a critical population health approach. *Health Place*. 2009;15(2):403–411. 32. Ford J, King D. A framework for examining adaptation readiness. *Mitig Adapt Strategies Glob Change*. In press.

33. Parkinson AJ, Evengard B. Climate change, its impact on human health in the Arctic and the public health response to threats of emerging infectious diseases. *Glob Health Action* 2009:2.

34. Ford J, Bolton K, Shirley J, Pearce T, Tremblay M, Westlake M. A literature review and gap analysis of human dimensions of climate change research in Nunavut, Nunavik, and Nunatsiavut. *Arctic.* 2012;65(3):289–304.

35. Kunuk Z, Mauro IJ. *Qapiranajuq: Inuit Knowledge and Climate Change.* Available at: http://www.isuma.tv/en/ inuit-knowledge-and-climate-change/ movie. Accessed December 27, 2013.

36. Ford JD, Smit B, Wandel J, et al. Climate change in the Arctic: current and future vulnerability in two Inuit communities in Canada. *Geogr J.* 2008;174(1): 45–62.

37. Pearce T, Wright H, Notania R, et al. Transmission of environmental knowledge and land skills among Inuit men in Ulukhaktok, Northwest Territories, Canada. *Human Ecol.* 2011;39(3):271–288.

38. Ford JD, Pearce T, Duerden F, Furgal C, Smit B. Climate change policy responses for Canada's Inuit population: the importance of and opportunities for adaptation. *Global Environ Change*. 2010;20(1):177–191.

 Ebi KL, Kovats SR, Menne B. An approach for assessing human health vulnerability and public health interventions to adapt to climate change. *Environ Health Perspect.* 2006;114(12):1930–1934.

40. Ebi KL. Public health responses to the risks of climate variability and change in the United States. *J Occup Environ Med.* 2009;51(1):4–12.

41. Ebi KL. Overview: adaptive management for the health risks of climate change. In: Ford JD, Berrang-Ford L, eds. *Climate Change Adaptation in Developed Nations: From Theory to Practice*. Dordrecht, Netherlands: Springer; 2011: 121–132.

42. Ford JD, Keskitalo ECH, Smith T, et al. Case study and analogue methodologies in climate change vulnerability research. *Wiley Interdiscip Rev-Clim Change*. 2010;1(3):374–392.

43. Hansen J, Sato M, Ruedy R. Perception of climate change. *Proc Natl Acad Sci U S A*. 2012;109(37):E2415–2423.

44. Rogelj J, Hare W, Lowe J, et al. Emission pathways consistent with a 2°C global temperature limit. *Nature Climate Change* 2011;1(8):413–418.

45. Ebi KL, Semenza JC. Communitybased adaptation to the health impacts of climate change. Am J Prev Med. 2008; 35(5):501–507.

46. Hess JJ, McDowell JZ, Luber G. Integrating climate change adaptation into public health practice: using adaptive management to increase adaptive capacity and build resilience. *Environ Health Perspect.* 2012;120(2):171–179.

47. Frumkin H, McMichael AJ, Hess JJ. Climate change and the health of the public. *Am J Prev Med.* 2008;35(5):401–402.

48. Bell E. Readying health services for climate change: a policy framework for regional development. *Am J Public Health.* 2011;101(5):804–813.

 Ebi KL, Burton I. Identifying practical adaptation options: an approach to address climate change-related health risks. *Environ Sci Policy*. 2008;11(4):359–369.

50. Costello A, Abbas M, Allen A, et al. Managing the health effects of climate change. *Lancet.* 2009;373:1693–1733.

51. Burton I. Adaptation to climate change: context, status, and prospects. In: Ford JD, Berrang-Ford L, eds. *Climate Change Adaptation in Developed Nations: From Theory to Practice*. Dordrecht, Netherlands: Springer; 2011:477–484.

52. Campbell-Lendrum D, Bertollini R, Neira M, Ebi K, McMichael A. Health and climate change: a roadmap for applied research. *Lancet.* 2009;373(9676): 1663–1665.

53. McMichael AJ, Neira M, Bertollini R, Campbell-Lendrum D, Hales S. Climate change: a time of need and opportunity for the health sector. *Lancet.* 2009;374 (9707):2123–2125.

54. Bell EJ. Climate change: what competencies and which medical education and training approaches? *BMC Med Educ.* 2010;10:31.

55. Ford JD, Smith T, Berrang-Ford L. Canadian Federal support for climate change and health research compared with the risks posed. *Am J Public Health.* 2011;101(5):814–821.

 McClymont Peace D, Myers E. Community-based participatory process– climate change and health adaptation program for Northern First Nations and Inuit in Canada. *Int J Circumpolar Health.* 2012;71:1–8.

57. Ford JD. Indigenous health and climate change. *Am J Public Health*. 2012;102(7):1260–1266.

58. Ford JD. Vulnerability of Inuit food systems to food insecurity as a consequence of climate change: a case study from Igloolik, Nunavut. *Reg Environ Change.* 2009;9(2):83–100.

59. Pearce T, Wright H, Notaina R, et al. Transmission of environmental knowledge and land skills among Inuit men in Ulukhaktok, Northwest Territories, Canada. *Hum Ecol.* 2011;39(3):271–288. 60. Chatwood S, Bjerregaard P, Young TK. Global health-a circumpolar perspective. *Am J Public Health*. 2012;102(7): 1246–1249.

61. Bruce MG, Deeks SL, Zultz T, et al. International circumpolar surveillance system for population-based surveillance of invasive pneumococcal disease, 1999-2005. *Emerg Infect Dis.* 2008;14:25–33.

62. Chandler MJ, Lalonde CE. Cultural continuity as a moderator of suicide risk among Canada's First Nations. In: Kirmayer L, Valaskakis G, eds. *Healing Traditions: The Mental Health of Aboriginal Peoples in Canada.* Vancouver, BC: UBC Press; 2008:221–248.

63. Burgess CP, Johnston FH, Berry HL, et al. Healthy country, healthy people: the relationship between indigenous health status and "caring for country." *Med J Aust.* 2009;190(10):567–572.

64. Davis B, McGrath N, Knight S, et al. Aminina Nud Mulumuluna ("You gotta look after yourself"): evaluation of the use of traditional art in health promotion for aboriginal people in the Kimberley region of western Australia. Aust Psychol. 2004;39(2):107–113.

65. Government of Nunavut. Upagiaqtavut – setting the course: climate change impacts and adaptation in Nunavut. Iqualuit, NU; 2011. Available at: http:// env.gov.nu.ca/sites/default/files/3154-315\_climate\_english\_sm.pdf. Accessed June 21, 2013.

66. Murray V, Ebi KL. IPCC special report on managing the risks of extreme events and disasters to advance climate change adaptation (SREX). *J Epidemiol Community Health.* 2012;66(9):759–760.

67. Pardhan-Ali A, Wilson J, Edge VL, et al. A descriptive analysis of notifiable gastrointestinal illness in the Northwest Territories, Canada, 1991-2008. *BMJ Open.* 2012;2(4):pii:e000732.

 Ribot J. Vulnerability before adaptation: toward transformative climate action. *Glob Environ Change*. 2011;21(4): 1160–1162.

69. Chan HM, Fediuk K, Hamilton S, et al. Food security in Nunavut, Canada: barriers and recommendations. *Int J Circumpolar Health.* 2006;65(5):416–431.

 Egeland GM, Pacey A, Cao Z, Sobol I. Food insecurity among Inuit preschoolers: Nunavut Inuit Child Health Survey, 2007-2008. *CMAJ*. 2010;182 (3):243–248.

71. Sharma S, Cao X, Roache C, Buchan A, Reid R, Gittelsohn J. Assessing dietary intake in a population undergoing a rapid transition in diet and lifestyle: the Arctic Inuit in Nunavut, Canada. *Br J Nutr.* 2010;103(5):749–759.

72. Ford JD, McDowell G, Shirley J, et al. The dynamic multiscale nature of climate

change vulnerability: an Inuit harvesting example. *Ann Assoc Am Geogr.* 2013; 103(5):1193–1211.

73. Pearce T, Smit B, Duerden F, et al. Inuit vulnerability and adaptive capacity to climate change in Ulukhaktok, Northwest Territories, Canada. *Polar Rec* (*Gr Brit*). 2010;24(148):1–21.

74. Cunsolo Willox A, Harper SL, Ford JD, et al. Climate change and mental health: an exploratory case study from Rigolet, Nunatsiavut, Canada. *Climatic Change.* 2013;121(2):255–270.

75. Richmond CAM, Ross NA. Social support, material circumstance and health behaviour: influences on health in First Nation and Inuit communities of Canada. *Soc Sci Med.* 2008;67(9):1423–1433.

 Kral MJ, Idlout L, Minore JB, Dyck RJ, Kirmayer LJ. Unikkaartuit: meanings of well-being, unhappiness, health, and community change among Inuit in Nunavut, Canada. *Am J Community Psychol.* 2011;48(3–4):426–438.

77. Kral MJ. "The weight on our shoulders is too much, and we are falling": suicide among Inuit male youth in Nunavut, Canada. *Med Anthropol Q.* 2013;27 (1):63–83.

78. Ebi K. Climate change and health risks: assessing and responding to them through "adaptive management." *Health Aff (Millwood).* 2011;30(5):924–930.

79. Tester FJ, Irniq P. Inuit Qaujimajatuqangit: social history, politics and the practice of resistance. *Arctic.* 2008;61 (suppl):48–61.

 Bird SM, Wiles JL, Okalik L, Kilabuk J, Egeland GM. Living with diabetes on Baffin Island: Inuit storytellers share their experiences. *Can J Public Health*. 2008;99 (1):17–21.

81. Smylie J, Anderson M. Understanding the health of indigenous peoples in Canada: key methodological and conceptual challenges. *CMAJ*. 2006;175(6): 602–605.

82. Green D, Minchin L. The co-benefits of carbon management on country. *Nature Climate Change*. 2012;2:641–643.

83. Ford JD, Smit B, Wandel J, MacDonald J. Vulnerability to climate change in Igloolik, Nunavut: what we can learn from the past and present. *Polar Rec* (*Gr Brit*). 2006;42(02):127–138.

84. Cunsolo-Willox A, Harper S, Edge V, "My Word": Storytelling and Digital Media Lab, Rigolet Inuit Community Government. Storytelling in a digital age: digital storytelling as a new critical narrative method for preserving and promoting indigenous oral wisdom. *Qual Res.* 2013;13(2):127–147.

85. Lehti V, Niemela S, Hoven C, Mandell D, Sourander A. Mental health, substance use and suicidal behaviour among young indigenous people in the Arctic: a systematic review. *Soc Sci Med.* 2009;69(8):1194–1203.

86. Green D, King U, Morrison J. Disproportionate burdens: the multidimensional impacts of climate change on the health of indigenous Australians. *Med J Aust.* 2009;190(1):4–5.

87. Dovers S. Normalizing adaptation. *Glob Environ Change*. 2009;19(1):4–6.

 Milly PC, Betancourt J, Falkenmark M, et al. Climate change: stationarity is dead: whither water management? *Science*. 2008;319(5863):573–574.

89. Brooks N, Anderson S, Ayers J, Burton I, Tellam I. Tracking adaptation and measuring development. *Climate Change Working Paper 01*. London, England: International Institute for Environment and Development; 2011.

 Adger WN, Barnett J. Four reasons for concern about adaptation to climate change. *Environ Plan A*. 2009;41 (12):2800–2805.

91. Stafford Smith M, Horrocks L, Harvey A, Hamilton C. Rethinking adaptation for a 4 degrees C world. *Philos Trans A Math Phys Eng Sci.* 2011;369 (1934):196–216.

92. O'Brien K. Global environmental change II: from adaptation to deliberate transformation. *Prog Hum Geogr.* 2012;36(5):667–676.

93. Barnosky AD, Hadly EA, Bascompte J, et al. Approaching a state shift in Earth's biosphere. *Nature*. 2012;486(7401): 52–58.